



FASTENER PATTERN @ EAVE, RIDGE & VALLEY



FASTENER PATTERN @ INTERMEDIATE LOCATIONS


PANEL FASTENER SPACING ALONG RIB	RIVET SPACING ALONG RIB	PRESSURE (PSF)
8"	32"	76.8
8"	24"	84.3



AdvantageLok Panel Profile


24 or 26 Gauge, Minimum Yield = 50 KSI
 ASTM A792 for Galvalume Steel
 ASTM A755 for Painted Steel
 ASTM A653 for Galvanized Steel

REV		DATE	REVISIONS	
1				
GAD FILE:		SV		
SCALE:	NONE	DATE:	4-18-2008	
DRAWN:	Bela Sockalingam	CHECKED:		
APPROVED:				
AdvantageLok Panel				
UNION CORRUGATING COMPANY 701 SOUTH KING ST FAYETTEVILLE, NC 28302 Ph. (910) 482-2185 Fax: (910) 482-1091				
DATE:	4-18-2008			
1 OF 2				
Sheet No.				




VALLEY DETAIL

26 GA. X MIN. 19" WIDE (24" WIDE WHEN VALLEY GAP IS GREATER THAN 6") VALLEY FLASHING WITH CENTER BEND AS SHOWN (BEND HEIGHT VARIES WITH SLOPE OF ROOF BUT IS NOT LESS THAN 1")



EAVE DETAIL



RAKE DETAIL

UNION CORRUGATING COMPANY		DATE: 4-18-2008	
701 SOUTH KING ST FAYETTEVILLE, NC 28302		2 OF 2	
Ph: 810 485-3185 FAX: 810 485-1091		Sheet No.	
CAD FILE: SV		SCALE: NONE	
DRAWN: Balu Sockalingam		CHECKED: APPROVED:	
NAME: Balu Sockalingam		DATE: 4-18-2008	
REV: 1		DATE: 4-18-2008	
REVISIONS			

AdvantageLok Panel