

NOTE: DOUBLE TRACK LOW HEADROOM, HI-LIFT TRACK, FOLLOW-THE-ROOF TRACK, AND VERTICAL LIFT TRACK ARE AVAILABLE OPTIONS. 3" TRACK ALSO AVAILABLE.





THE DESIGN OF THE SUPPORTING STRUCTURAL ELEMENTS IS THE RESPONSIBILITY OF THE BUILDING ENGINEER OR ARCHITECT OF RECORD.

MAX. 12'-2" WIDE X 18'-0" HIGH

REVISIONS					
REV. NO.	ZONE:	DATE:	ECN NO.	APPVD:	DESCRIPTION
7		11/2008	-	-	ADDED MPC AND WELDED JAMB ATTACH. DETAIL.
8	-	02/2012	-	-	UPDATED WINDCODE CHART.
9	-	08/2012	-	-	REVISED FOR TDI.
10	-	06/2013	-	-	REMOVED GLAZING OPTION.
11	-	08/2016	-	-	REMOVED WIND SPEED TABLE.
12	-	02/2022	-	-	REVISED FOR TDI.

THE OPTIONAL GLAZING SHOWN ON THIS DRAWING MEETS THE WIND LOAD REQUIREMENTS OF THE FLORIDA BUILDING CODE OR INTERNATIONAL BUILDING CODE BUT DOES NOT MEET THE IMPACT RESISTANT REQUIREMENT FOR WINDBORNE DEBRIS REGIONS (REF. CHAPTER 16 FBC/IBC)


THIS PRODUCT COMPLIES WITH THE 2018 IBC/IRC.



SIDE ELEVATION STANDARD-LIFT TRACK DETAILS

SECTION 2-2

SECTION 1-1



ANCHOR NOTE: FIRST (BOTTOM) ANCHOR STARTING AT NO MORE THAN HALF OF THE MAXIMUM ON-CENTER DISTANCE. HIGHEST ANCHOR INSTALLED AT LEAST AS HIGH AS THE DOOR OPENING.

WOOD JAMB ON CONCRETE

CONCRETE JAMBS

STEEL JAMBS

WOOD JAMBS







TABLE 1

DOOR HEIGHT	TOTAL U-BARS REQUIRED
4'3" TO 6'0"	6
6'3" TO 8'0"	8
8'3" TO 10'0"	10
10'3" TO 12'0"	12
12'3" TO 14'0"	14
14'3" TO 16'0"	16
16'3" TO 18'0"	18

MAX. SECTION HEIGHT: 24"

CLOPAY CORP. ALL RIGHTS RESERVED.

Unless Stated Otherwise TOLERANCES are
 .0 = ±.031
 .00 = ±.015
 .000 = ±.005
 .0000 = ±.001
 Degrees = ±1/2°
 Unless Stated Otherwise DIMENSIONS ARE IN INCHES.

Clopay CORPORATION
 8585 Duke Boulevard
 Mason, OH 45040 USA
 Tel. No. 513-770-4800
 Fax No. 513-770-4853

MANUFACTURING PRODUCT CODE: MPC: C-PAN-1E448

WINDLOAD RATING
 W6

DESCRIPTION: COMMERCIAL RIBBED DOOR	DATE: 10/15/01	SCALE: NOTED	DWG. B
DRAWN BY: RJK	DATE: 10/01	SHEET 1 OF 1	SIZE B
CHECKED BY: MWW	DATE: 10/01	DWG. NO.: 102446	

