

PO Box 149104 | Austin, TX 78714 | 1-800-578-4677 | tdi.texas.gov

# **Product Evaluation**

WIN1829 | 1120

**Engineering Services Program** 

The following product has been evaluated for compliance with the wind loads specified in the International Residential Code (IRC) and the International Building Code (IBC).

This product evaluation is not an endorsement of this product or a recommendation that this product be used. The Texas Department of Insurance has not authorized the use of any information contained in the product evaluation for advertising, or other commercial or promotional purpose.

This product evaluation is intended for use by those individuals who are following the design wind load criteria in Chapter 3 of the IRC and Section 1609 of the IBC. The design loads determined for the building or structure shall not exceed the design load rating specified for the products shown in the limitations section of this product evaluation. This product evaluation does not relieve a Texas licensed engineer of his responsibilities as outlined in the Texas Insurance Code, the Texas Administrative Code, and the Texas Engineering Practice Act.

For more information, contact TDI Engineering Services Program at (800) 248-6032.

**Evaluation ID:** WIN-1829 **Effective Date:** November 1, 2020

**Re-evaluation Date:** November 2024

Product Name: Series 8800 Vinyl Horizontal Sliding Windows, Impact Resistant

Manufacturer: Wincore Window Company, LLC

250 Staunton Avenue Parkersburg, WV 26104

(304) 485-7460

#### **General Description:**

System	Description	Label Rating	Design Pressure Rating
1	Series 8800 Vinyl Horizontal Sliding Windows; XX	LC-PG55 (74 x 62)-HS Missile Level D	+55 / -55 psf
2	Series 8800 Vinyl Horizontal Sliding Windows; XX	LC-PG50 (74 x 63)-HS Missile Level D	+50 / -55 psf
3	Series 8800 Vinyl Horizontal Sliding Windows; XX	LC-PG65 (74 x 63-HS) Missile Level D	+65 / -75 psf
4	Series 8800 Vinyl Horizontal Sliding Windows; XOX 1/4-1/2-1/4	LC-PG45 (110 x 62)-HS Missile Level D	+45 / -45 psf
5	Series 8800 Vinyl Horizontal Sliding Windows; XOX 1/4-1/2-1/4	LC-PG50 (112 x 63)-HS Missile Level D	+50 / -55 psf

## **General Description (continued):**

System	Description	Label Rating	Design Pressure Rating
6	Series 8800 Vinyl Horizontal Sliding Windows; XOX 1/4-1/2-1/4	LC-PG50 (112 x 63)-HS Missile Level D	+60 / -65 psf
7	Series 8800 Vinyl Horizontal Sliding Windows; XOX 1/3-1/3-1/3	LC-PG55 (110 x 62)-HS Missile Level D	+55 / -55 psf

### **Product Dimensions:**

System	Overall Size	Maximum Sash Daylight Opening Size
1	74" x 62"	32-7/16" x 54"
2-3	74" x 63"	32-7/16" x 55"
4	110" x 62"	49-1/2" x 54"
5-6	112" x 63"	50-1/2" x 55"
7	110" x 62"	33" x 54"

## **Product Identification (Certification Label on Window):**

System	•	
	Certification Agency	NAMI
	Manufacturer's Name	Wincore Window Company LLC
1-3	Product Name	8800 Series Vinyl Horizontal Slider Window XX
	Test Standards	AAMA/WDMA/CSA 101/I.S.2/A440-17
		ASTM E1886-13a/E1996-14a; Missile Level D
	Certification Agency	NAMI
	Manufacturer's Name	Wincore Window Company LLC
4-7	Product Name	8800 Series Vinyl Horizontal Sliding Window XOX
	Test Standards	AAMA/WDMA/CSA 101/I.S.2/A440-17
		ASTM E1886-13a/E1996-14a; Missile Level D

### **Impact Resistance:**

System	Impact Resistant	Requirement
1-7	Yes	These products satisfy TDI's criteria for protection from windborne debris. Install the assemblies at a height on the structure that does not exceed the design pressure rating for the assemblies.

### Installation:

System		
	Type of Installation	Install in accordance with Wincore Windows & Doors
	Wall Framing	drawings No. TX-4311, TX-4312, and TX-4313, dated
1-7	Fasteners	September 10, 2013. Revision 1 dated January 21,
	Fastener Location/Spacing	2020. Signed and sealed by Lyndon F. Schmidt, P.E.
	Fastener Penetration	on June 10, 2020.

**Note:** Keep the manufacturer's installation instructions available on the job site during installation. Use corrosion resistant fasteners as specified in the IRC and the IBC.