

PO Box 12030 | Austin, TX 78711 | 800-578-4677 | tdi.texas.gov

## **Product Evaluation**

#### WIN2565 | 0822

**Engineering Services Program** 

The following product has been evaluated for compliance with the wind loads specified in the International Residential Code (IRC) and the International Building Code (IBC).

This product evaluation is not an endorsement of this product or a recommendation that this product be used. The Texas Department of Insurance has not authorized the use of any information contained in the product evaluation for advertising, or other commercial or promotional purpose.

This product evaluation is intended for use by those individuals who are following the design wind load criteria in Chapter 3 of the IRC and Section 1609 of the IBC. The design loads determined for the building or structure shall not exceed the design load rating specified for the products shown in the limitations section of this product evaluation. This product evaluation does not relieve a Texas licensed engineer of his responsibilities as outlined in the Texas Insurance Code, the Texas Administrative Code, and the Texas Engineering Practice Act.

For more information, contact TDI Engineering Services Program at (800) 248-6032.

**Evaluation ID:** WIN-2565 **Effective Date:** August 1, 2022

**Re-evaluation Date:** August 2026

Product Name: Auraline Composite Fixed Windows, Fin and Frame Installation, Non-Impact

Resistant

Manufacturer: JELD-WEN Windows and Doors

Vista Window Plant 2760 Progress St #B Vista, CA 92081 (760) 597-4201

#### **General Description:**

System	Description	Label Rating	Design Pressure Rating
1	Auraline Composite Fixed Windows; O	LC-PG35 96 x 96	+35 / -40 psf
2	Auraline Composite Fixed Windows; O	LC-PG50 72 x 72	+50 / -55 psf
3	Auraline Composite Fixed Windows with Track Filler; O	LC-PG35 96x96	+35/-40
4	Auraline Composite Fixed Windows with Track Filler; OOO	LC-PG35 144x72	+35/-40
5	Auraline Composite Fixed Windows with Track Filler; OO	LC-PG50 72x72	+50/-55

# **General Description:**

System	Description	Label Rating	Design Pressure Rating
6	Auraline Composite Fixed Windows with Track Filler; O	LC-PG50 72x72	+50/-55

### **Product Dimensions:**

System	Overall Size	Daylight Opening Size
1	96" x 96"	93" x 93"
2	72" x 72"	69" x 69"
3	96" x 96"	92-1/2" x 92-1/2"
4	144-1/8" x 71-5/8"	44-1/8" x 68-1/8" (3)
5	72-1/16" x 72-1/16"	32-5/16" x 68-11/16" (2)
6	72-1/16" x 72"	68-11/16" x 68-3/4"

# **Product Identification (Certification Label on Window):**

System		
	Certification Agency	NAMI
	Manufacturer's Name or Code Name	JELD-WEN Windows & Doors
1	Product Name	Auraline Composite Fixed
	Test Standards	AAMA/WDMA/CSA 101/I.S.2/A440-11
		AAMA/WDMA/CSA 101/I.S.2/A440-17
	Certification Agency	NAMI
	Manufacturer's Name or Code Name	JELD-WEN Windows & Doors
2	Product Name	Auraline Composite Fixed
	Test Standards	AAMA/WDMA/CSA 101/I.S.2/A440-11
		AAMA/WDMA/CSA 101/I.S.2/A440-17
	Certification Agency	NAMI
	Manufacturer's Name or Code Name	JELD-WEN Windows & Doors
3, 4, 5, 6	Product Name	Auraline Composite
3, 4, 3, 0		Fixed with Track Filler
	Test Standards	AAMA/WDMA/CSA 101/I.S.2/A440-11
		AAMA/WDMA/CSA 101/I.S.2/A440-17

**Impact Resistance:** 

System	Impact Resistant	Requirement	
1-6	No	Provide an impact protective system when installing the product in areas that require windborne debris protection.	

## **Installation:**

System			
	Type of Installation	Install in accordance with JELD-WEN drawing No. D015573-4; Revision A; dated January 30, 2020; Signed and sealed by Joseph A. Reed, P.E. on	
	Wall Framing		
1	Fasteners		
	Fastener Location/Spacing	August 17, 2020.	
	Fastener Penetration	7.tagast 17, 2020.	
	Type of Installation	Install in accordance with JELD-WEN drawing N	
	Wall Framing	D015573-2; Revision A; dated January 27, 2020;	
2	Fasteners	Signed and sealed by Joseph A. Reed, P.E. on	
	Fastener Location/Spacing	August 17, 2020.	
	Fastener Penetration	7.tagast 17, 2020.	
	Type of Installation	Install in accordance with JELD-WEN drawing No.	
	Wall Framing	L6660-01-301-47-R0; Revision A; dated December	
3	Fasteners	17, 2020; Signed and sealed by Joseph A. Reed	
	Fastener Location/Spacing	P.E. on December 28, 2020.	
	Fastener Penetration	1.2. 611 5 666111561 267 2626.	
	Type of Installation	Install in accordance with JELD-WEN drawing No.	
	Wall Framing	L0420-01-301-47-R0; Revision A; dated August 25,	
4	Fasteners	2020; Signed and sealed by Joseph A. Reed, P.E.	
	Fastener Location/Spacing	on August 27, 2020.	
	Fastener Penetration	5117 tog 451 = 1, = 5=51	
	Type of Installation	Install in accordance with JELD-WEN drawing No.	
	Wall Framing	L0431-01-301-47-R0; Revision A; dated November	
5	Fasteners	9, 2021; Signed and sealed by Joseph A. Reed, P.E.	
	Fastener Location/Spacing	on November 16, 2021.	
	Fastener Penetration	0.1.1.0.1.0.1.0.1.1.0, <u>202</u> .1.	
	Type of Installation	Install in accordance with JELD-WEN drawing No.	
	Wall Framing	K0788-01-301-47-R0; Revision A; dated Februa	
6	Fasteners	4, 2020; Signed and sealed by Joseph A. Reed, P.E.	
	Fastener Location/Spacing	on July 8, 2022.	
	Fastener Penetration	574.j 0, 2022.	

**Note:** Keep the manufacturer's installation instructions available on the job site during installation. Use corrosion resistant fasteners as specified in the IRC and the IBC.