

Product Evaluation

WIN1784 | 0320

Engineering Services Program

The following product has been evaluated for compliance with the wind loads specified in the International Residential Code (IRC) and the International Building Code (IBC).

This product evaluation is not an endorsement of this product or a recommendation that this product be used. The Texas Department of Insurance has not authorized the use of any information contained in the product evaluation for advertising, or other commercial or promotional purpose.

This product evaluation is intended for use by those individuals who are following the design wind load criteria in Chapter 3 of the IRC and Section 1609 of the IBC. The design loads determined for the building or structure shall not exceed the design load rating specified for the products shown in the limitations section of this product evaluation. This product evaluation does not relieve a Texas licensed engineer of his responsibilities as outlined in the Texas Insurance Code, the Texas Administrative Code, and the Texas Engineering Practice Act.

For more information, contact TDI Engineering Services Program at (800) 248-6032.

Evaluation ID: WIN-1784

Effective Date: March 1, 2020

Re-evaluation Date: October 2022

Product Name: Series 9060 Thermally Broken Aluminum Casement Windows, Non-Impact Resistant

Manufacturer: WinDoor Incorporated
7500 Amsterdam Drive
Orlando, FL 32832
(407) 481-8400

General Description:

System	Description	Label Rating	Design Pressure Rating
1	Series 9060 Thermally Broken Aluminum Casement Windows	AW-PG100 (37 x 60)-C	+100 / -100 psf
2	Series 9060 Thermally Broken Aluminum Casement Windows	CW-PG100 (37 x 84)-C	+100 / -100 psf
3	Series 9060 Thermally Broken Aluminum Casement Windows; Twin	CW-PG100 (74 x 72)-C	+100 / -100 psf

Product Dimensions:

System	Overall Size	Operable Sash Size
1	37" x 60"	35" x 58"
2	37" x 84"	35" x 82"
3	74" x 72"	35" x 70" (2)

Product Identification (Certification Label on Window):

System		
1-2	Certification Agency	Keystone
	Manufacturer's Name or Code Name	CAR# 167-795 (System 1) CAR# 167-793 (System 2)
	Product Name	9060 TB Aluminum EL Casement
	Test Standards	AAMA/WDMA/CSA 101/I.S.2/A440-08
3	Certification Agency	Keystone
	Manufacturer's Name or Code Name	CAR# 167-794
	Product Name	9060 TB Twin Al EL Casement Combo Assembly
	Test Standards	AAMA/WDMA/CSA 101/I.S.2/A440-08

Impact Resistance:

System	Impact Resistant	Requirement
1-3	No	Provide an impact protective system when installing the product in areas that require windborne debris protection.

Installation:

System		
1-3	Type of Installation	Install in accordance with WinDoor Incorporated drawing No. 08-01908 and 08-01955, dated January 28, 2013, Revision B dated February 20, 2020. Signed and sealed by A. Lynn Miller, P.E. on February 20, 2020.
	Wall Framing	
	Fasteners	
	Fastener Location/Spacing	
	Fastener Penetration	

Note: Keep the manufacturer's installation instructions available on the job site during installation. Use corrosion resistant fasteners as specified in the IRC and the IBC.