PAN URANIA SPA WALL PANEL SYSTEM EXTERIOR NON-LOAD BEARING IMPACT RATED

GENERAL NOTES:

- I. THIS PRODUCT HAS BEEN DESIGNED AND TESTED TO COMPLY WITH THE REQUIREMENTS OF THE 2018 INTERNATIONAL BUILDING CODE (IBC).
- 2. PANELS COMPLY WITH IMPACT TESTING PERFORMED BY TEL TESTING EVALUATION LABORATORIES, INC.; REPORT #TEL0295223I) IN ACCORDANCE WITH THE FOLLOWING TEST SPECIFICATIONS: ASTM E330-02, ASTM E331-00, ASTM E283-04, AND ASTM E1886-05/ASTM E1996-09.
- 3. THESE PANELS ARE APPROVED FOR AIR AND WATER INFILTRATION PER ASTM E283 AND ASTM E331.
- 4. THE NON-LOAD BEARING WALL PANELS ARE NOT MECHANICALLY FASTENED TO THE BUILDING MAIN STRUCTURE. THEY ARE DESIGNED TO FIT AND SLIDE ONTO A TRACK/KEY SYSTEM WITHIN THE BUILDING MAIN STRUCTURE. THE PANELS ARE CONNECTED VIA INTERLOCKING PROFILES WITH MALE/FEMALE JOINTS, KEYWAYS AND BOTTOM/TOP LOCKING PROFILES.
- 5. ALL FRAME CORNERS, JOINTS, MULLION SEAMS, AND PERIMETER GLAZING BEAD TO BE SEALED WITH SILICON SEAL ANT.
- 6. LOADING CONDITIONS NOT DEPICTED IN THESE DETAILS ARE NOT PART OF THIS APPROVAL.
- 7. MATERIALS INCLUDING BUT NOT LIMITED TO STEEL/METAL SCREWS THAT COME INTO CONTACT WITH OTHER DISSIMILAR MATERIALS SHALL MEET THE REQUIREMENTS OF THE 2018 INTERNATIONAL BUILDING CODE (IBC) AS APPLICABLE.
- 8. METAL STRUCTURE WHICH IS NOT PROVIDED BY PAN URANIA SPA IS TO BE DESIGNED TO SUPPORT THE DEAD/IMPACT LOADS IMPOSED BY THIS WALL PANEL SYSTEM AND TO TRANSFER SUCH LOADS TO THE BUILDING MAIN STRUCTURE. THE WALL PANELS ARE NON-LOAD BEARING.
- 9. THE DESIGN LOADS IN THIS DOCUMENT ARE ALLOWABLE DESIGN LOADS.

LIMITATIONS OF USE:

- I. THIS PRODUCT EVALUATION DOCUMENT (P.E.D) PREPARED BY THIS ENGINEER IS GENERIC AND DOES NOT PROVIDE INFORMATION FOR A SITE SPECIFIC PROJECT; I.E. WHERE THE SITE CONDITIONS DEVIATE FROM THE P.E.D.
- 2. CONTRACTOR TO BE RESPONSIBLE FOR THE SELECTION, PURCHASE AND INSTALLATION OF THIS PRODUCT BASED ON THIS PRODUCT EVALUATION PROVIDED HE/SHE DOES NOT DEVIATE FROM THE CONDITIONS DETAILED ON THIS DOCUMENT.
- 3. THIS PRODUCT EVALUATION DOCUMENT WILL BE CONSIDERED INVALID IF ALTERED BY ANY MEANS.
- 4. SITE SPECIFIC PROJECTS SHALL BE PREPARED BY A TEXAS REGISTERED ENGINEER OR ARCHITECT WHICH WILL BECOME THE ENGINEER OF RECORD (E.O.R.) FOR THE PROJECT AND WHO WILL BE RESPONSIBLE FOR THE PROPER USE OF THE P.E.D.
- 5. THIS P.E.D. SHALL BEAR THE DATE AND ORIGINAL SEAL AND SIGNATURE OF THE PROFESSIONAL ENGINEER OF RECORD THAT PREPARED IT.



DRAWING INDEX			
	1	COVER	
	2	ELEVATION DETAILS	
	3	SECTION DETAILS	

GENERAL NOTES

- I. ALL DIMENSIONS ARE IN MILLIMETERS.
- 2. TOLERANCES (UNLESS STATED OTHERWISE): ±IMM / ±I°

SUPPLIEF

PAN URANIA SPA

Issue	Date	Description	Ву	Check

THIS DRAWING AND ANY INFORMATION OR DESCRIPTIVE MATTER SET HEREON IS THE CONFIDENTIAL PROPERTY OF PAN URANIA; AND MUST NOT BE DISCLOSED, LOANED, COPIED OR USED FOR MANUFACTURING, TENDERING OR ANY OTHER PURPOSE WITHOUT THE PRIOR CONSENT IN WRITING OF PAN URANIA. FOR ANY ISSUE WITH TRANSLATIONS CONTACT US.

łlo.

COVER

roject

PRODUCT APPROVAL
WALL PANEL - NON-HVHZ

Drawn By	Drawn Date	Scale		^ 7
SF	3/22/20	NTS		AS
Checked By	Check Date	DIMENSIONS ARE IN MM		
JS	3/22/20			
Project No.		Order No.		
Dwg No. Sheet Issue				
WP-			I of 3	Α

ALLOWABLE DESIGN LOADS				
FOR WALL PANEL / WALL PANEL W/ DOOR OPENING	FOR WALL PANEL W/ WINDOW OPENING			
+50.0 PSF -50.0 PSF	+50.0 PSF -50.0 PSF			



