

3773 STATE ROAD, CUYAHOGA FALLS, OH 44223

MODEL 03A0 ST EXTRUDED VINYL SINGLE HUNG WINDOW

"NON-IMPACT"

ALSO DISTRIBUTED UNDER THE FOLLOWING TRADE NAMES:


ASSOCIATED MATERIALS, INC. **GENTEK BUILDING PRODUCTS REVERE BUILDING PRODUCTS**

EVALUATED FOR USE IN THE STATE OF TEXAS

The Alside Single Hung Window described herein complies with the 2006 International Residential Code (IRC), Sections R301 & R613 and the 2006 International Building Code (IBC), Sections 1405.12, 1609, 1714.5, 2403 and 2404 (including Texas revisions) subject to the following conditions:

- 1. Anchors shall be as listed and spaced as shown in the details. Anchor embedment to base material shall be beyond wall dressing or stucco.
- 2. When used in areas requiring wind-borne debris protection this product is required to be protected with an impact resistant covering that complies with Section R301.2.1.2 of the IRC and Section 1609.1.2 of the IBC.
- 3. Allowable design pressure requirements must be equal to or less than the design pressure rating shown in the design pressure chart, sheet 1 of this drawing.
- 4. Conditions not covered by this drawing are subject to further engineering analysis.

TABLE OF CONTENTS				
SHEET#	DESCRIPTION			
1	Typical elevations, design pressures & general notes			
2	Vertical & horizontal cross sections & frame anchoring			
3	Bill of materials, glazing detail and components			





	4	0	1/1
VO MAA O.A. PRAWE HEIGH	<i>!!!</i>	X	
	1/1		

MAX.	MAX. D.LO. DIMENSION	GLASS TYPE	DESIGN PRESSURE (PSF)		
DIMENSION			i¥⊕NIIIVE	NEGYATIV	
52.0" X 78.0"	48.13" X 35.5"	G1	+25.0	-25.0	
14.0" X 78.0"	38.13" X 35.5"	G1	+35.0	-35.0	
36.0" X 72.0"	30.13" X 32.5"	G1	+40.0	-40.0	




å							
PRODUCT:	L	SINGLE HUNG WINDOW	PART OR ASSEMBLY:	TYDICAL CLEVATION DESIGN	DEFECTION OF STANDING DESIGN	TALSSONES & GENERAL NOILS	
		-			BY		
						REVISIONS	
					DATE		
					8		
DAT	_	3/	27/	11	4	_	
-	DATE: 3/27/14 SCALE: N.T.S. DWG. BY: JK CHK. BY: LFS						
CHI	K. B	Y:	L	FS	3		
DRA		G N).: 44				
			100	3000		2	





*THE APPROVED WHITE RIGID PVC EXTERIOR EXTRUSIONS FOR WINDOWS ARE TO BE PRODUCED BY EXTRUDERS LICENSEES IN "AAMA CERTIFICATION PROGRAMS FOR RIGID PVC EXTRUSIONS."



 $\mathcal{R}_{\mathcal{W}}$

SINGLE HUNG WINDOW

DATE: 3/27/14

N.T.S.

TX-4448
SHEET 3 OF 3

JK

LFS

SCALE:

DWG. BY:

CHK. BY:

DRAWING NO .:

BILL OF MATERIALS, GLAZING DETAIL & COMPONENTS

- 2.91" -

