TDI Texas Department of Insurance

PO Box 12030 | Austin, TX 78711 | 800-578-4677 | tdi.texas.gov

Product Evaluation

WIN1721 | 0922

Engineering Services Program

The following product has been evaluated for compliance with the wind loads specified in the International Residential Code (IRC) and the International Building Code (IBC).

This product evaluation is not an endorsement of this product or a recommendation that this product be used. The Texas Department of Insurance has not authorized the use of any information contained in the product evaluation for advertising, or other commercial or promotional purpose.

This product evaluation is intended for use by those individuals who are following the design wind load criteria in Chapter 3 of the IRC and Section 1609 of the IBC. The design loads determined for the building or structure shall not exceed the design load rating specified for the products shown in the limitations section of this product evaluation. This product evaluation does not relieve a Texas licensed engineer of his responsibilities as outlined in the Texas Insurance Code, the Texas Administrative Code, and the Texas Engineering Practice Act.

For more information, contact TDI Engineering Services Program at (800) 248-6032.

Evaluation ID: WIN-1721

Effective Date: September 1, 2022 **Re-evaluation Date:** September 2026

Product Name: Series 6012 Vinyl Tilt Single Hung Windows, Impact Resistant

Manufacturer: Regency Plus, Inc. 2000 Locust Gap Highway Mt. Carmel, PA 17851 (570) 339-3374

General Description:

System	Description	Label Rating	Design Pressure Rating
1	Series 6012 Vinyl Tilt Single Hung Windows; O/X	LC-PG50 (52 x 84)- H Missile Level D	+45 / -50 psf

Product Dimensions:

System	Overall Size	Operable Sash Size	Fixed Sash Daylight Opening Size
1	52" x 84"	49" x 40-1/8"	46-1/4" x 37-5/8"

Product Identification (Certification Label on Window):

System		
1	Certification Agency	NAMI
	Manufacturer's Name or Code Name	Regency Plus, Inc.
	Product Name	6012 Vinyl Impact Rated Single Hung
	Test Standards	AAMA/WDMA/CSA 101/I.S.2/A440-05,08
		ASTM E1886/E1996-04
		Missile Level D

Compliance: The products comply with AAMA/WDMA/CSA 101/I.S.2/A440-17, ASTM E 1886-13a, and ASTM E 1996-14a as referenced in the 2018 IRC and 2018 IBC.

Impact Resistance:

System	Impact Resistant	Requirement
1	Yes	These products have been tested for windborne debris resistance. They satisfy Missile Level D requirements specified in ASTM E 1996-14a.

Installation:

System		
1	Type of Installation	
	Wall Framing	Install in accordance with drawing No. 08-01711,
	Fasteners	dated September 17, 2012. Revision C dated July
	Fastener Location/Spacing	21, 2022. Signed and sealed by Luis R. Lomas, P.E. on July 26, 2022.
	Fastener Penetration	011 July 20, 2022.

Note: Keep the manufacturer's installation instructions available on the job site during installation. Use corrosion resistant fasteners as specified in the IRC and the IBC.