

PO Box 149104 | Austin, TX 78714 | 1-800-578-4677 | tdi.texas.gov

Product Evaluation

WIN1749 | 0820

Engineering Services Program

The following product has been evaluated for compliance with the wind loads specified in the International Residential Code (IRC) and the International Building Code (IBC).

This product evaluation is not an endorsement of this product or a recommendation that this product be used. The Texas Department of Insurance has not authorized the use of any information contained in the product evaluation for advertising, or other commercial or promotional purpose.

This product evaluation is intended for use by those individuals who are following the design wind load criteria in Chapter 3 of the IRC and Section 1609 of the IBC. The design loads determined for the building or structure shall not exceed the design load rating specified for the products shown in the limitations section of this product evaluation. This product evaluation does not relieve a Texas licensed engineer of his responsibilities as outlined in the Texas Insurance Code, the Texas Administrative Code, and the Texas Engineering Practice Act.

For more information, contact TDI Engineering Services Program at (800) 248-6032.

Evaluation ID: WIN-1749 **Effective Date:** August 1, 2020

Re-evaluation Date: August 2024

Product Name: Series 8400 Vinyl Fixed Windows, Frame Installation, Non-Impact Resistant

Manufacturer: Wincore Window Company, LLC

250 Staunton Avenue Parkersburg, WV 26104

(304) 485-7460

General Description:

System	Description	Label Rating	Design Pressure Rating
1	Series 8400 Vinyl Fixed Windows; (O)	LC-PG65 37 x 84-FW	+65 / -65 psf
2	Series 8400 Vinyl Fixed Windows; (O)	LC-PG50 48 x 60-FW	+50 / -50 psf
3	Series 8400 Vinyl Fixed Windows; (O)	LC-PG65 64 x 64-FW	+65 / -65 psf
4	Series 8400 Vinyl Fixed Windows; (O)	LC-PG50 72 x 72-FW	+50 / -50 psf
5	Series 8400 Vinyl Fixed Windows; (O)	LC-PG55 72 x 72-FW	+55 / -65 psf
6	Series 8400 Vinyl Fixed Windows; (O)	LC-PG80 76 x 63-FW	+80 / -80 psf

Product Dimensions:

System	Overall Size	Daylight Opening Size
1	37" x 84"	31.62" x 78.62"
2	48" x 60"	42.62" x 54.62"
3	64" x 64"	58.62" x 58.62"
4	72" x 72"	66.62" x 66.62"
5	72" x 72"	66.62" x 66.62"
6	76" x 63"	70.62" x 57.62"

Product Identification (Certification Label on Window):

System		
	Certification Agency	AAMA
	Manufacturer's Name or Code	Wincore Window Company LLC.
1-6	Name	
	Product Name	8400 Series Vinyl Fixed Window
	Test Standards	AAMA/WDMA/CSA 101/I.S.2/A440-17

Impact Resistance:

System	Impact Resistant	Requirement
1-6	No	Provide an impact protective system when installing the product in areas that require windborne debris.

Acceptance of Smaller Assemblies: Window assemblies with dimensions equal to or smaller than those specified are acceptable within the limitations specified in this report.

Installation:

System		
1-6	Type of Installation	Install windows in accordance with Wincore Window and Doors drawing No. TX-4236, titled "8400 Series Vinyl Fixed Window 'Non-Impact'," sheets 1 through 5 of 5, dated 9/10/12, Revision 2, dated 1/21/20, signed and sealed by Lyndon F. Schmidt, PE on 2-24-20.
	Wall Framing	
	Fasteners	
	Fastener Location/Spacing	
	Fastener Penetration	

Note: Keep the manufacturer's installation instructions available on the job site during installation. Use corrosion resistant fasteners as specified in the IRC and the IBC.