

PO Box 12030 | Austin, TX 78711 | 800-578-4677 | tdi.texas.gov

Product Evaluation

WIN2724 | 0922

Engineering Services Program

The following product has been evaluated for compliance with the wind loads specified in the International Residential Code (IRC) and the International Building Code (IBC).

This product evaluation is not an endorsement of this product or a recommendation that this product be used. The Texas Department of Insurance has not authorized the use of any information contained in the product evaluation for advertising, or other commercial or promotional purpose.

This product evaluation is intended for use by those individuals who are following the design wind load criteria in Chapter 3 of the IRC and Section 1609 of the IBC. The design loads determined for the building or structure shall not exceed the design load rating specified for the products shown in the limitations section of this product evaluation. This product evaluation does not relieve a Texas licensed engineer of his responsibilities as outlined in the Texas Insurance Code, the Texas Administrative Code, and the Texas Engineering Practice Act.

For more information, contact TDI Engineering Services Program at (800) 248-6032.

Evaluation ID: WIN-2724 **Effective Date:** September 1, 2022

Re-evaluation Date: April 2025

Product Name: Model 9020 Aluminum Fixed Windows, Large Missile Impact Rated, Frame

Installation, Impact Resistant

Manufacturer: WinDoor Incorporated

7500 Amsterdam Drive Orlando, FL 32832 (407) 481-8400

General Description:

System	Description	Label Rating	Design Pressure Rating (psf)
1	Model 9020 Aluminum Impact Fixed; O	AW-PG100 60x120-Type FW Missile Level D	+100 / -100 psf
2	Model 9020 Aluminum Impact Fixed; O	AW-PG90 60x120-Type FW Missile Level D	+90 / -90 psf
3	Model 9020 Aluminum Impact Fixed Combo Assembly; Mull; O/O	AW-PG100 60x120-Type FW Missile Level D	+100 / -120 psf
4	Model 9020 Aluminum Impact Fixed; O	AW-PG110 96x72-Type FW Missile Level D	+110 / -110 psf

General Description (Continued):

System	Description	Label Rating	Design Pressure Rating (psf)
5	Model 9020 Aluminum Impact Fixed Combo Assembly; Mull; O.O.O	AW-PG100 144x72-Type FW Missile Level D	+85 / -85 psf

Product Dimensions:

System	Overall Size	Glass Daylight Opening Size
	Size	Opening Size
1-2	60" x 120"	55" x 115-1/2"
3	60" x 120"	Two (2); 55" x 56"
4	96" x 72"	91-1/2" x 67-1/2"
5	144" x 72"	Three (3); 44-3/16" x 67-1/2"

Product Identification (Certification Label on Window):

System		
	Certification Agency	Keystone
	Manufacturer's Name or Code Name	CAR 167-504; CAR 167-754
1	Product Name	9020 Aluminum Impact Fixed (Std or TR)
	Test Standards	AAMA/WDMA/CSA 101/I.S.2/A440-08
		ASTM E 1886-02/04/05; ASTM E 1996-02/04/06/09
		Missile Level D
	Certification Agency	Keystone
	Manufacturer's Name	CAR 167-505; CAR 167-755
	or Code Name	CAR 107-303, CAR 107-733
2	Product Name	9020 Aluminum Impact Fixed (Std or TR)
	Test Standards	AAMA/WDMA/CSA 101/I.S.2/A440-08
		ASTM E 1886-02/04/05; ASTM E 1996-02/04/06/09
		Missile Level D
	Certification Agency	Keystone
	Manufacturer's Name	CAR 167-506; CAR 167-756
	or Code Name	CAR 107-300, CAR 107-730
3	Product Name	9020 Al Imp Fixed Combo Assembly (Std or TR)
	Test Standards	AAMA/WDMA/CSA 101/I.S.2/A440-08
		ASTM E 1886-02/04/05; ASTM E 1996-02/04/06/09
		Missile Level D

Product Identification (Certification Label on Window) - Continued:

System		
	Certification Agency	Keystone
	Manufacturer's Name or Code Name	CAR 167-507; CAR 167-757
4	Product Name	9020 Aluminum Impact Fixed
	Test Standards	AAMA/WDMA/CSA 101/I.S.2/A440-08
		ASTM E 1886-02/04/05; ASTM E 1996-02/04/06/09
		Missile Level D
	Certification Agency	Keystone
	Manufacturer's Name or Code Name	CAR 167-514; CAR 167-764
5	Product Name	9020 Al Imp Fixed Combo (LMI)
	Test Standards	AAMA/WDMA/CSA 101/I.S.2/A440-08
		ASTM E 1886-02/04/05; ASTM E 1996-02/04/06/09
		Missile Level D

Compliance: The products comply with AAMA/WDMA/CSA 101/I.S.2/A440-17, ASTM E 1886-13a, and ASTM E 1996-14a as referenced in the 2018 IRC and 2018 IBC.

Impact Resistance:

System	Impact Resistant	Requirement
1-5	Yes	These products have been tested for windborne debris resistance. They satisfy Missile Level D requirements specified in ASTM E 1996-14a.

Acceptance of Smaller Assemblies: Window assemblies with dimensions equal to or smaller than those specified are acceptable within the limitations specified in this report.

Installation:

System		
	Type of Installation	Install the windows in accordance with drawing
	Wall Framing	9020TDI-LM-1; "Series PW9020A Aluminum
1-5	Fasteners	Impact Resistant Fixed Window;" sheets 1 thru 7 of
	Fastener Location/Spacing	7; dated June 15, 2022; signed and sealed by
	Fastener Penetration	Anthony Lynn Miller, P.E. on June 15, 2022.

Note: Keep the manufacturer's installation instructions available on the job site during installation. Use corrosion resistant fasteners as specified in the IRC and the IBC.