

After working a shift in a hot, humid manufacturing facility in late August, a 41-year-old certified welder collapsed in the parking lot on the way to his car. With an internal body temperature of 108 degrees, he was rushed to the hospital, where he died from advanced heat stroke complications.¹

According to the U.S. Bureau of Labor Statistics, five Texans died of work-related heat illnesses in 2018. Another 270 Texans – nearly half of whom worked in construction or excavation – reported job-related heat ailments requiring time away from work. These Texans accounted for about 7% of the illnesses and more than 10% of the fatalities associated with workplace environmental heat exposure in the U.S.²

Texas: The Hottest Place in the World?

It is no secret to any Texan that summers here are long and hot. According to the [National Oceanic and Atmospheric Administration](#), the hottest maximum temperature ever recorded in the state – 120 degrees -- occurred in the small town of Monahans, Texas, in Ward County near Odessa on June 28, 1994. However, it may come as a surprise that in the scientific journal, *Environmental Physiology*,



researchers, using “effective temperatures,” – an index that calculates humidity and air movement with thermometer readings – named sections of Texas among the hottest places in the world. That’s right! The lower Rio Grande Valley and along the Texas Gulf Coast had higher effective temperatures than Death Valley in the Mojave Desert. The only places with higher effective temperatures than Texas were the Red Sea and the Indus Valley.³

What is more, Texas is trending hotter. In 2019, Texas wrapped up its extended summer by shattering September heat records with average temperatures 3 to 5 degrees above previous benchmarks in Dallas, Austin, San Antonio, Del Rio, Houston, and Tyler.⁴ This followed an unprecedented August in Austin, which logged 27 days of triple-digit temperatures, and left meteorologists estimating that Texans can expect about 22 more extreme heat days today than in 1979.⁵

What is Heat Stress?

When exposed to high temperatures, the body's internal temperature rises, and the heart rate increases. As the internal temperature continues to rise, the body stores heat, and the person may become irritable, lose concentration, or have difficulty focusing on a task. They can develop a heat rash, heat cramps, or heat exhaustion. Sickness, such as nausea and vomiting may occur, and the person may lose the desire to drink. The next stage is often fainting. A more serious illness, heat stroke, may bring permanent disability, organ failure, and death if the person is not cooled immediately.

Who is at Risk?

Millions of U.S. workers are exposed to extreme heat in their workplaces. Notable industries where workers have suffered heat-related illnesses include agriculture; construction (especially road and roofing work); landscaping; firefighting and hazardous waste operations; mail and package delivery; and oil and gas well operations. However, dangerous heat exposure is not limited to outdoor jobs. Summer temperatures also bring increased risks of heat-related illnesses to workers in bakeries, kitchens, laundries,

boiler rooms, mills, foundries, manufacturing facilities, warehouses, and more.

High humidity, direct physical contact with hot objects, nearness to a radiant heat source, and strenuous physical activities also contribute to job-related heat illnesses. Workers older than 65 and those with heart conditions, high blood pressure, or obesity are at greater risk of heat-related complications. However, each year young, healthy workers also experience the negative effects of environmental heat exposure. Fortunately, with proper training, education, and information, these illnesses and fatalities are preventable.

Managing Heat Stress in the Workplace

In 2010, Austin passed an ordinance making it the first city in Texas to mandate one ten-minute rest break per four-hour shift for construction workers. Dallas followed suit in 2015.⁶ Similar workplace laws are lacking across the state. However, the Occupational Safety and Health Act's [general duty clause](#) requires employers to furnish each worker a place of employment "free from recognized hazards that are causing or are likely to cause death or serious physical harm."

Ensuring that workers know the risks associated with heat and how to manage the threat is one of the most important safety measures managers can provide. Include the following as part of a regular employee safety training program:

OSHA-NIOSH Heat Safety Tool App



The free OSHA-NIOSH Heat Safety Tool is a useful resource for planning outdoor work activities based on how hot it feels throughout the day. It features real-time heat index and hourly forecasts specific to your location, as well as occupational safety and health recommendations from OSHA and NIOSH.

The OSHA-NIOSH Heat Safety Tool features:

- the current heat index and risk levels specific to your current location;
- recommendations specific to heat index-associated risk levels;
- an interactive, hourly forecast of heat index values, risk level, and recommendations for planning outdoor work activities in advance;
- location, temperature, and humidity controls to calculate variable conditions; and
- signs, symptoms, and first aid information for heat-related illnesses.



Prevent Heat Illnesses

1

Stay Hydrated

Provide workers with lots of water and encourage them to drink at least one pint every hour. Avoid liquids that can dehydrate the body, such as caffeine. Consider carrying frozen water bottles to ensure cool hydration is available later in the shift. Ensure water is close and available on all job sites.

2

Modify Work Schedules

Monitor the temperature throughout the day and modify work schedules to limit strenuous activity during peak hours of heat from 11 a.m.-4 p.m. Allow or arrange for frequent rest periods with water breaks in shaded or air-conditioned areas. Firefighters and hazardous waste site workers should remove gear and take cooldown breaks at intervals.

3

Avoid Clothing that Traps Heat

Waterproof or impermeable clothing and wet or sweat-soaked clothing can trap heat. Avoid wearing rain-resistant or emergency protective gear longer than necessary. Layer a work shirt over an undershirt to help keep sweat and heat away from the skin. Choose lightweight, light-colored, loose-fitting clothing, if possible. Carry spare shirts to replace wet or sweaty shirts as needed.

4

Wear Gear that Cools You.

Consider wearing wet neck towels, gel-filled cooling neck scarves or cooling vests to keep body heat down. Several types of cooling vests are available.

5

Modify the Environment.

If it is impractical to air condition a hot indoor space, consider air conditioning a nearby room such as a break room where workers can cool down. Consider portable air conditioning units to cool down individual workstations. Fans can help, but they blow hot air!

6

Monitor Body Functions

Monitor heat's effect on the body by checking the color of your urine – dark yellow urine means it is time to hydrate. Outside workers and those in hot quarters expect to sweat in the heat, but decreased sweating can also mean dehydration.

7

Slowly Acclimate New or Returning Workers to the Heat

Gradually increase workloads and allow more frequent breaks for workers new to the heat or those who have been away from work. Their bodies need time to adapt to working in the heat.

8

Know the Signs of Heat Illness

Feeling dizzy or sluggish outside on a hot day can be the body's way of signaling a more serious condition.

Symptoms of Heat Illnesses

RISK LEVEL 1: Heat Cramps

Heat cramps are muscle spasms caused by salt and water loss. These heat cramps often occur in the hands, calves, or feet. Spasms may stop on their own, but lingering soreness can remain for 24-48 hours.

RISK LEVEL 2: Heat Exhaustion

Heat exhaustion is more than a feeling of fatigue or weakness. Its symptoms include headache, dizziness, wet skin, irritability, confusion, increased thirst, nausea, or vomiting. Fainting may occur as a person's body tries to regulate the heat by lowering blood pressure. This can lead to a stroke or other life-threatening conditions if left untreated. Heat exhaustion occurs when the body's core temperature increases to 101-104 degrees.

RISK LEVEL 3: Heat Stroke

Heat stroke is an emergency medical condition. Workers should get help fast. The symptoms of heat stroke can include lack of sweat, reddened dry skin, confusion, fainting, collapse, seizures, and organ failure. Heat stroke occurs when the body's core temperature reaches 104 degrees or higher.

Respond to Heat Illnesses



Stop Physical Activity

When showing signs of a heat illness, stop physical activity and move to a cool place.



Cool the Body

Remove outer clothing. Fan and mist the body. Apply ice bags or ice towels, if available.



Drink Water

Drink cool water or a watered-down sports drink, if able to drink.



Position the Body for Safety

Lay an employee on their left side if the person is nauseous, light-headed, or unconscious. In the event of fainting, lay the worker on their back and raise their legs six or eight inches above the heart. If the person has a seizure, remove nearby objects to prevent injury.



Call 911. If a person refuses water, vomits, or starts to lose consciousness, seek medical attention immediately. If the person is unconscious and has stopped breathing, give CPR (cardiopulmonary resuscitation) until emergency medical responders arrive. If dizziness, cramping, nausea, or headache persist for more than an hour, call a supervisor for help and seek medical care.

Other Summer Hazards

The hot Texas months pose more than heat risks for outdoor workers. Sun exposure, insect-borne illnesses, and poisonous plants are additional hazards workers must manage and protect against.



Sun Exposure

- **Limit Exposure.** Sunlight contains ultraviolet (UV) radiation. It can cause cataracts and skin cancer, as well as wrinkles and premature aging. UV rays are most intense between 11 a.m. to 4 p.m. If possible, limit sun exposure during these times.
- **Cover Up.** Block harmful rays by wearing long-sleeved shirts, long pants, and a wide-brimmed hat.
- **Use Sunscreen.** Sunscreens with a sun protection factor (SPF) of at least 30 help protect against UV radiation. Always follow application directions on the bottle or tube.
- **Wear UV-Absorbent Eye Protection.** Sunglasses do not have to be expensive, but they should block 99%-100% of UVA and UVB radiation. Before buying sunglasses, read the product tag or label.



Tick-Borne Diseases

- **Use Tick Repellants.** Tick-borne diseases, such as Lyme Disease and Rocky Mountain Spotted Fever, are transmitted to people by bacteria from bites from infected ticks. When working outdoors, workers should protect themselves by using tick repellent on all areas except the face.
- **Wear Protective Clothing.** When working outdoors, wear long-sleeved, light-colored clothes to more easily see ticks. Wear high boots or closed shoes, and tuck pant legs into socks or boots.
- **Shower and Examine Your Body.** After working outdoors, always shower and examine your body for ticks. Remove any attached ticks with fine-tipped tweezers. Do not use petroleum jelly, a hot match, or nail polish to remove the ticks. Wash and dry your work clothes promptly on a high temperature.
- **Know the Symptoms of Tick-Borne Diseases.** In the case of Lyme Disease, most, but not all, victims will develop a bulls-eye rash. Other symptoms of tick-borne diseases may include flu-like muscle aches, fever, swollen lymph nodes, neck stiffness, general fatigue, headaches, and migrating joint aches. Seek medical attention.



West Nile Virus

- **Get Rid of Standing Water.** West Nile Virus is transmitted by the bite of an infected mosquito. By ridding the area of sources of standing water, such as in used tires or buckets, it reduces or eliminates mosquito breeding grounds. Take extra care at dusk and dawn when mosquitoes are most active.
- **Wear Protective Clothing.** Limit the amount of skin you expose when working outdoors. Wear long sleeves, long pants, socks, and closed shoes or boots.
- **Use Insect Repellent.** Apply Picaridin or DEET insect repellent to skin and clothing. While permethrin can be sprayed on clothing, never apply it to exposed skin.
- **Know the Symptoms of West Nile Virus.** Mild symptoms of West Nile Virus can include fever, headache, and body aches. Occasionally, swollen lymph glands and a skin rash will appear on the trunk of the body. More severe symptoms include headache, high fever, neck stiffness, stupor, disorientation, coma, tremors, convulsions, muscle weakness, and paralysis. Seek medical attention immediately.



Poisonous Plants

- **Train Employees to Recognize Poisonous Plants.** Educate employees on the identification of poison ivy, poison oak, and poison sumac. These plants have a poisonous sap in their roots, stems, leaves, and fruits. About 85% of the people who encounter this sap develop an allergic rash. Burning these plants can also cause lung irritation.
- **Wear Protective Clothing.** Wear long-sleeved shirts, long pants tucked into boots, and cloth or leather gloves.
- **Protect the Skin.** Apply barrier creams to protect exposed skin. Keep rubbing alcohol nearby. It removes the sap if applied within 30 minutes after exposure.

Training Tips

At new employee orientation and each year before the long, hot Texas months, review with employees the dangers and ways to prevent serious heat-related illnesses, insect-borne diseases, and exposure to poisonous plants. Consider developing a separate summer hazards training and preparation program to help managers and employees work together to find new ways to protect workers. Let employees know management is concerned about their health and well-being. Customize policies and procedures unique to your company operations, employees, and job responsibilities. Be prepared to modify schedules, duties, and breaks as needed to keep employees healthy, and to keep the company's bottom line strong.

For more information on summer safety and other workplace safety tips, download any of [DWC's Free Safety and Health Publications](#) or contact a DWC Safety Training Specialist at www.txsafetyatwork.com, safetytraining@tdi.texas.gov, or 1-800-252-7031, Option 2.

References

- ¹ EHS Today. Cool Down: Preventing Workplace Heat Stress. Website. <https://www.ehstoday.com/health/article/21915693/cool-down-preventing-workplace-heat-stress>. Accessed April 12, 2020.
- ² U.S. Bureau of Labor Statistics. Occupational Injuries/Illnesses and Fatal Injuries Profiles. Case and Demographic Numbers and Fatal Injuries Numbers. Event or Exposure. Exposure to Environmental Heat, All Ownerships. US and Texas. Website. <https://data.bls.gov/gqt/InitialPage>. Accessed May 15, 2020.
- ³ Texas Monthly. The Hottest Place in the Whole U.S.A. Website. <https://www.texasmonthly.com/articles/the-hottest-place-in-the-whole-u-s-a/>. Accessed May 12, 2020.
- ⁴ Texas Monthly. The Summer That Wouldn't Die. Website. <https://www.texasmonthly.com/being-texan/the-summer-that-wouldnt-die/>. Accessed May 12, 2020.
- ⁵ Austin Monthly. Is a Summer Heatwave Inevitable for Austin? Website. <https://www.austinmonthly.com/is-a-summer-heatwave-inevitable-for-austin/>. Accessed May 12, 2020.
- ⁶ Texas Workforce Commission. Fair Labor Standards Act -What it Does and Does Not Do. Website. https://www.twc.texas.gov/news/eft/flsa_does_and_doesnt_do.html. Accessed May 19, 2020.



Safety Violations Hotline

1-800-452-9595

safetyhotline@tdi.texas.gov

The Texas Department of Insurance,
Division of Workers' Compensation (DWC)
E-mail resourcecenter@tdi.texas.gov
or call 1-800-687-7080 for more information.

Disclaimer: Unless otherwise noted, this document was produced by the Texas Department of Insurance, Division of Workers' Compensation (DWC)-Workplace Safety using information from staff subject specialists, government entities, or other authoritative sources. Information contained in this fact sheet is considered accurate at the time of publication. For more free DWC publications on this and other safety topics and for free occupational safety and health audiovisual loans, visit www.txafetyatwork.com, call 800-252-7031, option 2, or email resourcecenter@tdi.texas.gov.