

REVISIONS			
REV	DESCRIPTION	DATE	APPROVED

NOTES:

1. THE PRODUCT SHOWN HEREIN IS DESIGNED AND MANUFACTURED TO COMPLY WITH REQUIREMENTS OF THE 2006 IBC & 2006 IRC WITH STATE OF TEXAS MODIFICATIONS.
2. WOOD FRAMING AND MASONRY OPENING TO BE DESIGNED AND ANCHORED TO PROPERLY TRANSFER ALL LOADS TO STRUCTURE. FRAMING AND MASONRY OPENING IS THE RESPONSIBILITY OF THE ARCHITECT OR ENGINEER OF RECORD.
3. 1X BUCK OVER MASONRY/CONCRETE IS OPTIONAL.
4. WHERE SHIM OR BUCK THICKNESS IS LESS THAN 1-1/2" WINDOW UNITS MUST BE ANCHORED THROUGH THE FRAME IN ACCORDANCE WITH MANUFACTURER'S PUBLISHED INSTALLATION INSTRUCTIONS. ANCHORS SHALL BE SECURELY FASTENED DIRECTLY INTO MASONRY, CONCRETE OR OTHER STRUCTURAL SUBSTRATE MATERIAL.
5. WHERE WOOD BUCK THICKNESS IS 1-1/2" OR GREATER, BUCK SHALL BE SECURELY FASTENED TO MASONRY, CONCRETE OR OTHER STRUCTURAL SUBSTRATE. WINDOW UNITS MAY BE ANCHORED THROUGH FRAME TO SECURED WOOD BUCK IN ACCORDANCE WITH MANUFACTURER'S PUBLISHED INSTALLATION INSTRUCTIONS.
6. WHERE 1X BUCK IS NOT USED DISSIMILAR MATERIALS MUST BE SEPARATED WITH APPROVED COATING OR MEMBRANE. SELECTION OF COATING OR MEMBRANE IS THE RESPONSIBILITY OF THE ARCHITECT OR ENGINEER OF RECORD.
7. BUCKS SHALL EXTEND BEYOND WINDOW INTERIOR FACE SO THAT FULL FRAME SUPPORT IS PROVIDED.
8. FOR FIN INSTALLATION SHIM AS NEEDED. FOR FRAME INSTALLATION SHIM AS REQUIRED AT EACH ANCHOR LOCATION WITH LOAD BEARING SHIM. SHIM WHERE SPACE OF 1/16" OR GREATER OCCURS. MAXIMUM ALLOWABLE SHIM STACK TO BE 1/4".
9. SHIMS SHALL BE LOCATED, APPLIED AND MADE FROM MATERIALS AND THICKNESS CAPABLE OF SUSTAINING APPLICABLE LOADS.
10. WIND LOAD DURATION FACTOR Cd=1.6 WAS USED FOR WOOD ANCHOR CALCULATIONS.
11. FRAME MATERIAL: ALUMINUM 6063-T5.
12. UNITS MUST BE GLAZED PER ASTM E1300-04, SEE SHEET 3 FOR GLASS DETAILS.
13. APPROVED IMPACT PROTECTIVE SYSTEM IS NOT REQUIRED FOR THIS PRODUCT IN WIND BORNE DEBRIS REGIONS.
14. FOR ANCHORING INTO WOOD FRAMING OR 2X BUCK USE #14 WOOD SCREWS WITH SUFFICIENT LENGTH TO ACHIEVE A 1 7/16" MINIMUM EMBEDMENT INTO SUBSTRATE. LOCATE ANCHORS AS SHOWN IN ELEVATIONS AND INSTALLATION DETAILS.
15. FOR ANCHORING INTO MASONRY/CONCRETE USE 1/4" TAPCONS WITH SUFFICIENT LENGTH TO ACHIEVE A 1 1/4" MINIMUM EMBEDMENT INTO SUBSTRATE WITH 2 1/2" MINIMUM EDGE DISTANCE. LOCATE ANCHORS AS SHOWN IN ELEVATIONS AND INSTALLATION DETAILS.
16. FOR ANCHORING INTO METAL STRUCTURE USE #12 SMS OR SELF DRILLING SCREWS WITH SUFFICIENT LENGTH TO ACHIEVE 3 THREADS MINIMUM BEYOND STRUCTURE INTERIOR WALL. LOCATE ANCHORS AS SHOWN IN ELEVATIONS AND INSTALLATION DETAILS.
17. ALL FASTENERS TO BE CORROSION RESISTANT.
18. INSTALLATION ANCHORS SHALL BE INSTALLED IN ACCORDANCE WITH ANCHOR MANUFACTURER'S INSTALLATION INSTRUCTIONS AND ANCHORS SHALL NOT BE USED IN SUBSTRATES WITH STRENGTHS LESS THAN THE MINIMUM STRENGTH SPECIFIED BELOW:
  - A. WOOD - MINIMUM SPECIFIC GRAVITY OF G=0.42
  - B. CONCRETE - MINIMUM COMPRESSIVE STRENGTH OF 3,192 PSI.
  - C. MASONRY - STRENGTH CONFORMANCE TO ASTM C-90, GRADE N, TYPE 1 (OR GREATER).
  - D. METAL STRUCTURE: STEEL 18GA, 33KSI OR ALUMINUM 6063-T5 1/8" THICK MINIMUM

TABLE OF CONTENTS	
SHEET NO.	DESCRIPTION
1	NOTES
2	ELEVATION
3 - 4	CROSS SECTIONS AND GLAZING DETAIL
5 - 8	INSTALLATION DETAILS
9	COMPONENTS

©Copyright 2012 Solar Innovations, Inc. All Rights Reserved. These drawings are applicable only to the product specified herein, are the exclusive sole property of Solar Innovations, Inc., and are considered both confidential and proprietary. Any use of the information, design or drawings contained herein for any purpose whatsoever without the expressed written consent of a Solar Innovations, Inc. authorized individual is forbidden.


SIGNED: 03/12/2015

<b>SOLAR INNOVATIONS, INC.</b> 31 ROBERTS ROAD PINE GROVE, PA 17963		
<b>G3 LIFT AND SLIDE          SLIDING GLASS DOOR - IMPACT          NOTES</b>		
DRAWN: <b>N.G.</b>	DWG NO. <b>08-02636</b>	REV -
SCALE <b>NTS</b>	DATE <b>03/11/15</b>	SHEET <b>1 OF 9</b>



Luis R. Lomas P.E.  
Texas No. 101889

REVISIONS			
REV	DESCRIPTION	DATE	APPROVED



- NOTES:
1. OPERABLE PANEL MAXIMUM SIZE: 63 3/4" X 114 3/8"
  2. FIXED PANEL MAXIMUM SIZE: 62 1/8" X 114 3/8"
  3. OPERABLE PANEL MAXIMUM D.L.O.: 58 1/2" X 107 1/4"
  4. FIXED PANEL MAXIMUM D.L.O.: 55 5/8" X 107 1/4"

**G3 LIFT AND SLIDE SGD**  
EXTERIOR VIEW

DESIGN PRESSURE RATING	IMPACT RATING
±70.0PSF	LARGE AND SMALL MISSILE IMPACT

MISSILE LEVEL D, WIND ZONE 4

HARDWARE SCHEDULE	
A.	SINGLE HANDLE 4 POINT LOCK LIFT & SLIDE
B.	NYLON ROLLER WITH METAL HOUSING
C.	EXTRUDED ALUMINUM POCKET INTERLOCK
D.	EXTRUDED ALUMINUM ASTRAGAL

©Copyright 2012 Solar Innovations, Inc. All Rights Reserved. These drawings are applicable only to the product specified herein, are the exclusive sole property of Solar Innovations, Inc., and are considered both confidential and proprietary. Any use of the information, design or drawings contained herein for any purpose whatsoever without the expressed written consent of a Solar Innovations, Inc. authorized individual is forbidden.

**SOLAR INNOVATIONS, INC.**  
31 ROBERTS ROAD  
PINE GROVE, PA 17963

G3 LIFT AND SLIDE  
SLIDING GLASS DOOR – IMPACT  
ELEVATION


DRAWN: N.G.	DWG NO. 08-02636	REV -
SCALE NTS	DATE 03/11/15	SHEET 2 OF 9

SIGNED: 03/12/2015




Luis R. Lomas P.E.  
Texas No. 101889

REVISIONS			
REV	DESCRIPTION	DATE	APPROVED



VERTICAL CROSS SECTION



GLAZING DETAIL

© Copyright 2012 Solar Innovations, Inc. All Rights Reserved. These drawings are applicable only to the product specified herein, are the exclusive sole property of Solar Innovations, Inc., and are considered both confidential and proprietary. Any use of the information, design or drawings contained herein for any purpose whatsoever without the expressed written consent of a Solar Innovations, Inc. authorized individual is forbidden.

**SOLAR INNOVATIONS, INC.**  
31 ROBERTS ROAD  
PINE GROVE, PA 17963

G3 LIFT AND SLIDE  
SLIDING GLASS DOOR - IMPACT  
VERTICAL CROSS SECTION


DRAWN: N.G.	DWG NO. 08-02636	REV -
SCALE NTS	DATE 03/11/15	SHEET 3 OF 9

SIGNED: 03/12/2015



Luis R. Lomas P.E.  
Texas No. 101889

REVISIONS			
REV	DESCRIPTION	DATE	APPROVED



**HORIZONTAL CROSS SECTION**

© Copyright 2012 Solar Innovations, Inc. All Rights Reserved. These drawings are applicable only to the product specified herein, are the exclusive sole property of Solar Innovations, Inc., and are considered both confidential and proprietary. Any use of the information, design or drawings contained herein for any purpose whatsoever without the expressed written consent of a Solar Innovations, Inc. authorized individual is forbidden.

**SOLAR INNOVATIONS, INC.**  
 31 ROBERTS ROAD  
 PINE GROVE, PA 17963

**G3 LIFT AND SLIDE  
 SLIDING GLASS DOOR – IMPACT  
 HORIZONTAL CROSS SECTION**


DRAWN: N.G.	DWG NO. 08-02636	REV -
SCALE NTS	DATE 03/11/15	SHEET 4 OF 9

SIGNED: 03/12/2015




Luis R. Lomas P.E.  
 Texas No. 101889

REVISIONS			
REV	DESCRIPTION	DATE	APPROVED



**VERTICAL CROSS SECTION**  
WOOD FRAMING OR 2X BUCK INSTALLATION



**JAMB INSTALLATION DETAIL**  
WOOD FRAMING OR 2X BUCK INSTALLATION

- NOTES:**
1. INTERIOR AND EXTERIOR FINISHES, BY OTHERS, NOT SHOWN FOR CLARITY.
  2. PERIMETER AND JOINT SEALANT BY OTHERS TO BE DESIGNED IN ACCORDANCE WITH ASTM E2112

© Copyright 2012 Solar Innovations, Inc. All Rights Reserved. These drawings are applicable only to the product specified herein, are the exclusive sole property of Solar Innovations, Inc., and are considered both confidential and proprietary. Any use of the information, design or drawings contained herein for any purpose whatsoever without the expressed written consent of a Solar Innovations, Inc. authorized individual is forbidden.


<b>SOLAR INNOVATIONS, INC.</b>		
31 ROBERTS ROAD PINE GROVE, PA 17963		
G3 LIFT AND SLIDE SLIDING GLASS DOOR – IMPACT INSTALLATION DETAILS		
DRAWN: N.G.	DWG NO. 08-02636	REV -
SCALE NTS	DATE 03/11/15	SHEET 5 OF 9

SIGNED: 03/12/2015




Luis R. Lomas P.E.  
Texas No. 101889

REVISIONS			
REV	DESCRIPTION	DATE	APPROVED



**VERTICAL CROSS SECTION**  
METAL STRUCTURE INSTALLATION



**JAMB INSTALLATION DETAIL**  
METAL STRUCTURE INSTALLATION

**NOTES:**  
 1. INTERIOR AND EXTERIOR FINISHES, BY OTHERS, NOT SHOWN FOR CLARITY.  
 2. PERIMETER AND JOINT SEALANT BY OTHERS TO BE DESIGNED IN ACCORDANCE WITH ASTM E2112

© Copyright 2012 Solar Innovations, Inc. All Rights Reserved. These drawings are applicable only to the product specified herein, are the exclusive sole property of Solar Innovations, Inc., and are considered both confidential and proprietary. Any use of the information, design or drawings contained herein for any purpose whatsoever without the expressed written consent of a Solar Innovations, Inc. authorized individual is forbidden.


<b>SOLAR INNOVATIONS, INC.</b>		
31 ROBERTS ROAD PINE GROVE, PA 17963		
G3 LIFT AND SLIDE SLIDING GLASS DOOR – IMPACT INSTALLATION DETAILS		
DRAWN: N.G.	DWG NO. 08-02636	REV -
SCALE NTS	DATE 03/11/15	SHEET 6 OF 9

SIGNED: 03/12/2015




Luis R. Lomas P.E.  
Texas No. 101889

REVISIONS			
REV	DESCRIPTION	DATE	APPROVED



**VERTICAL CROSS SECTION**  
CONCRETE/MASONRY INSTALLATION



**JAMB INSTALLATION DETAIL**  
CONCRETE/MASONRY INSTALLATION

- NOTES:**
1. INTERIOR AND EXTERIOR FINISHES, BY OTHERS, NOT SHOWN FOR CLARITY.
  2. PERIMETER AND JOINT SEALANT BY OTHERS TO BE DESIGNED IN ACCORDANCE WITH ASTM E2112

© Copyright 2012 Solar Innovations, Inc. All Rights Reserved. These drawings are applicable only to the product specified herein, are the exclusive sole property of Solar Innovations, Inc., and are considered both confidential and proprietary. Any use of the information, design or drawings contained herein for any purpose whatsoever without the expressed written consent of a Solar Innovations, Inc. authorized individual is forbidden.

**SOLAR INNOVATIONS, INC.**  
31 ROBERTS ROAD  
PINE GROVE, PA 17963

G3 LIFT AND SLIDE  
SLIDING GLASS DOOR – IMPACT  
INSTALLATION DETAILS


DRAWN: N.G.	DWG NO. 08-02636	REV -
SCALE NTS	DATE 03/11/15	SHEET 7 OF 9

SIGNED: 03/12/2015




Luis R. Lomas P.E.  
Texas No. 101889


REVISIONS			
REV	DESCRIPTION	DATE	APPROVED



**JAMB INSTALLATION DETAIL**  
WOOD FRAMING OR 2X BUCK INSTALLATION



**JAMB INSTALLATION DETAIL**  
METAL STRUCTURE INSTALLATION



**JAMB INSTALLATION DETAIL**  
CONCRETE/MASONRY INSTALLATION

© Copyright 2012 Solar Innovations, Inc. All Rights Reserved. These drawings are applicable only to the product specified herein, are the exclusive sole property of Solar Innovations, Inc., and are considered both confidential and proprietary. Any use of the information, design or drawings contained herein for any purpose whatsoever without the expressed written consent of a Solar Innovations, Inc. authorized individual is forbidden.

**SOLAR INNOVATIONS, INC.**

31 ROBERTS ROAD  
PINE GROVE, PA 17963

G3 LIFT AND SLIDE  
SLIDING GLASS DOOR – IMPACT  
POCKET INSTALLATION DETAILS


DRAWN: N.G.	DWG NO. 08-02636	REV -
SCALE NTS	DATE 03/11/15	SHEET 8 OF 9

SIGNED: 03/12/2015




Luis R. Lomas P.E.  
Texas No. 101889


REVISIONS			
REV	DESCRIPTION	DATE	APPROVED




1 THERMAL SLIDER EXTERIOR RAMP




2 G3 THERMAL SLIDER SINGLE TRACK SILL




3 THERMAL SLIDER HIGH-PERFORMANCE LEG




4 G3 THERMAL SLIDER DUAL TRACK HEAD / JAMB




5 G3 SLIDER BOTTOM RAIL




6 G3 SLIDER HEAD RAIL




7 G3 SLIDER HANDLE RAIL




8 G3 HURRICANE FLUSH RAIL




9 G3 HURRICANE HOOK RAIL




10 G3 SLIDER HOOK RAIL




11 DOOR ADAPTER




12 G3 SLIDER CLOSURE STRIP



13 G3 SLIDER PASSIVE ASTRAGAL



14 G3 SLIDER RWP PART ASTRAGAL



15 POCKET INTERLOCK

© Copyright 2012 Solar Innovations, Inc. All Rights Reserved. These drawings are applicable only to the product specified herein, are the exclusive sole property of Solar Innovations, Inc., and are considered both confidential and proprietary. Any use of the information, design or drawings contained herein for any purpose whatsoever without the expressed written consent of a Solar Innovations, Inc. authorized individual is forbidden.

<b>SOLAR INNOVATIONS, INC.</b>		
31 ROBERTS ROAD PINE GROVE, PA 17963		
G3 LIFT AND SLIDE SLIDING GLASS DOOR – IMPACT COMPONENTS		
DRAWN: N.G.	DWG NO. 08-02636	REV -
SCALE NTS	DATE 03/11/15	SHEET 9 OF 9

SIGNED: 03/12/2015



Luis R. Lomas P.E.  
Texas No. 101889