







**BILL OF MATERIALS**

ITEM #	DESCRIPTION	MATERIAL
B	2X FRAMING SG >= 0.42	WOOD
C	1/4" MAX. SHIM SPACE	-
F	#10 X 2-1/2" PFH WOOD SCREW	STEEL
1	EXTRUDED VINYL HEAD, JAMB AND SILL *	RIGID PVC
2	EXTRUDED VINYL SILL INSERT *	RIGID PVC
3	EXTRUDED VINYL LOCK RAIL *	RIGID PVC
4	EXTRUDED VINYL MEETING RAIL BEAD *	RIGID PVC
5	SASH REINFORCEMENT	STEEL
7	EXTRUDED VINYL HEAD INSERT *	RIGID PVC
8	EXTRUDED VINYL GLAZING BEAD*	RIGID PVC
9	EXTRUDED VINYL TOP SASH STILE & RAIL*	RIGID PVC
11	EXTRUDED VINYL SASH RAIL BEAD*	RIGID PVC
12	STEEL INTERCEPT SPACER	STEEL
13	SWEEP LOCK	STEEL
14	REINFORCEMENT (LOCK RAIL & LOWER SASH STILES)	STEEL
15	EXTRUDED VINYL BOTTOM SASH STILE & RAIL*	RIGID PVC
17	REINFORCEMENT (MEETING RAIL & UPPER SASH STILES)	STEEL
18	TILT BAR	STEEL
21	NEOPRENE SETTING BLOCK	NEOPRENE
22	GLAZING TAPE	-


\* THE APPROVED WHITE RIGID PVC EXTERIOR EXTRUSIONS FOR WINDOWS ARE TO BE PRODUCED BY EXTRUDERS LICENSEES IN "AAMA CERTIFICATION PROGRAMS FOR RIGID PVC EXTRUSIONS".




**1 HEAD, JAMB & SILL**




**8 GLAZING BEAD**




**11 SASH RAIL Bead**




**2 SILL INSERT**




**3 LOCK RAIL**




**4 MEETING RAIL Bead**




**9 TOP SASH STILE & RAIL**




**7 HEAD INSERT**




**18 TILT BAR**





**15 BOTTOM SASH STILE & RAIL**



**14 REINFORCEMENT**



**17 REINFORCEMENT**



Documents Prepared By: Lyndon F. Schmidt, P.E.  
TEXAS P.E. #104123

**RW** BUILDING CONSULTANTS, INC.  
P.O. Box 230 Valrico FL 33595  
Phone No.: 813.659.9197  
TEXAS BOARD OF PROFESSIONAL ENGINEERS  
CERTIFICATE OF REGISTRATION # F-11852

PRODUCT: DOUBLE HUNG WINDOW  
PART OR ASSEMBLY: BILL OF MATERIALS, COMPONENTS AND GLAZING DETAIL

NO.	DATE	BY	REVISIONS

DATE: 3/11/13  
SCALE: N.T.S.  
DWG. BY: JK  
CHK. BY: LFS  
DRAWING NO.: TX-4314  
SHEET 3 OF 3