

# TEXAS DEPARTMENT OF INSURANCE

Engineering Services Program / MC 103-3A 333 Guadalupe Street P.O. Box 149104 Austin, Texas 78714-9104  
Phone No. (512) 322-2212 Fax No. (512) 463-6693

---

## PRODUCT EVALUATION

WIN-111

Effective Date: June 1, 2013

Reevaluation Date: **May 2014**

*The following product has been evaluated for compliance with the wind loads specified in the **International Residential Code (IRC)** and the **International Building Code (IBC)**.*

*This product evaluation is not an endorsement of this product or a recommendation that this product be used. The Texas Department of Insurance has not authorized the use of any information contained in the product evaluation for advertising, or other commercial or promotional purpose.*

*This product evaluation is intended for use by those individuals who are following the design wind load criteria in Chapter 3 of the IRC and Section 1609 of the IBC. The design loads determined for the building or structure shall not exceed the design load rating specified for the products shown in the limitations section of this product evaluation. This product evaluation does not relieve a Texas licensed engineer of his responsibilities as outlined in the Texas Insurance Code, the Texas Administrative Code, and the Texas Engineering Practice Act.*

**Model 0204 Vinyl Fixed Windows, Individual, Replacement, Non-impact Resistant**, manufactured by:

**Alside Window Company/Division of AMI**  
**3773 State Road**  
**Cuyahoga Falls, Ohio 44223**  
**Telephone: (330) 922-5350**

and distributed under the following trade names:

**Alside Window Company**  
**Associated Materials, Inc.**  
**Gentek Building Products**  
**Revere Building Products**

### General Description:

System	Description	Label Rating	Design Pressure Rating
1	Model 0204 Vinyl Fixed Windows; O	CW-PG35 72x84-FW	± 35 psf
2	Model 0204 Vinyl Fixed Windows; O	CW-PG55 60x60-FW	± 55 psf
3	Model 0204 Vinyl Fixed Windows; O	CW-PG65 48x72-FW	± 65 psf
4	Model 0204 Vinyl Fixed Windows; O	CW-PG45 96x60-FW	± 45 psf
5	Model 0204 Vinyl Fixed Windows; O	FW-C50 72x72	± 50 psf
6	Model 0204 Vinyl Fixed Windows; O	FW-C45 72x63	± 45 psf

**Product Dimensions:**

System	Overall Size	Fixed Daylight Opening Size
1	72" x 84"	67 ½" x 79 ½"
2	60" x 60"	55 ½" x 55 ½"
3	48" x 72"	43 ½" x 67 ½"
4	96" x 60"	91 ½" x 55 ½"
5	72" x 72"	67 ½" x 67 ½"
6	72" x 63"	67 ½" x 58 ½"

**Product Identification:**

System		
1-4	Certification Agency	AAMA
	Manufacturer's Name or Code Name	UL-5
	Product Name	Series 0204/02A4/A204/O2S4/G2S4/W2S4
	Test Standards	AAMA/WDMA/CSA 101/I.S.2/A440-08
5-6	Certification Agency	AAMA
	Manufacturer's Name or Code Name	UL-5
	Product Name	Series 0204/02A4/A204 PW
	Test Standards	AAMA/WDMA/CSA 101/I.S.2/A440-05

**Impact Resistance:**

Impact Resistant	Requirement
No	Impact protective system required when product is installed in areas where windborne debris protection is required

**INSTALLATION INSTRUCTIONS**

**General:** The window assembly shall be prepared and installed in accordance with the manufacturers recommended installation instructions. Detailed installation instructions and drawings are available from the manufacturer.

**Design Drawings:** The windows shall be installed in accordance with Drawing No. TX-4272, titled "Model 0204 PVC Fixed Window 'Non-Impact'," sheets 1 through 3 of 3, dated February 7, 2013, signed, sealed, and dated February 7, 2013 by Lyndon F. Schmidt, P.E. The stated drawings will be referred to as the approved drawings in this evaluation report.

**Wall Framing Construction:** The windows shall be secured to minimum Spruce-Pine-Fir dimension lumber.

**Installation:** The windows shall be installed as specified on the approved drawings. The fasteners shall be long enough to penetrate a minimum of 1 ½ inches into the wall framing.

**Note:** The manufacturer's installation instructions shall be available on the job site during installation. All fasteners shall be corrosion resistant as specified in the International Residential Code (IRC); the International Building Code (IBC); and the Texas Revisions.