

# TEXAS DEPARTMENT OF INSURANCE

Engineering Services Program / MC 103-3A 333 Guadalupe Street P.O. Box 149104 Austin, Texas 78714-9104  
Phone No. (512) 322-2212 Fax No. (512) 463-6693

---

## PRODUCT EVALUATION

WIN-94

Effective Date: February 1, 2014

Reevaluation Date: **March 2015**

The following product has been evaluated for compliance with the wind loads specified in the **International Residential Code (IRC)** and the **International Building Code (IBC)**.

This product evaluation is not an endorsement of this product or a recommendation that this product be used. The Texas Department of Insurance has not authorized the use of any information contained in the product evaluation for advertising, or other commercial or promotional purpose.

This product evaluation is intended for use by those individuals who are following the design wind load criteria in Chapter 3 of the IRC and Section 1609 of the IBC. The design loads determined for the building or structure shall not exceed the design load rating specified for the products shown in the limitations section of this product evaluation. This product evaluation does not relieve a Texas licensed engineer of his responsibilities as outlined in the Texas Insurance Code, the Texas Administrative Code and the Texas Engineering Practice Act.

**Model 0502/0602/8002/9002/A502 Vinyl Horizontal Slider Windows, Replacement Construction, Non-Impact Resistant**, manufactured by:

**Alside Window Company**  
3773 State Road  
Cuyahoga Falls, OH 44223  
(330) 922-5350

and distributed under the following trade names:

**Alside**  
**Associated Materials, Inc.**  
**Gentek Building Products**  
**Revere Building Products**

### General Description:

System	Description	Label Rating	Design Pressure Rating
1	Series 0502/0602/8002/9002/A502 Vinyl Horizontal Slider Window; (XX)	LC-PG30 72x56-HS	± 30 psf
2	Series 0502/0602/8002/9002/A502 Vinyl Horizontal Slider Window; (XX)	R-PG35 74x50-HS	± 35 psf
3	Series 0502/0602/A502 Vinyl Horizontal Slider Window; (XX)	R-PG45 60x60-HS	± 45 psf

### Product Dimensions:

System	Overall Size	Both Sash Sizes
1	72.00" x 56.00"	35.38" x 51.38"
2	74.00" x 50.00"	36.38" x 45.38"
3	60.00" x 60.00"	29.38" x 55.69"

**Product Identification:**

System		
1, 2	Certification Agency	AAMA
	Manufacturer's Name or Code Name	UL-5
	Product Name	0502/0602/8002/9002/A502 HS
	Test Standards	AAMA/WDMA/CSA 101/I.S.2/A440-08
3	Certification Agency	AAMA
	Manufacturer's Name or Code Name	UL-5
	Product Name	0502/0602/A502 HS
	Test Standards	AAMA/WDMA/CSA 101/I.S.2/A440-08

**Installation:**

The windows shall be installed in accordance with one of the following drawings:

**Model 0502:** Drawing No. TX-4098, titled "Model 0502 Horizontal Slider 'Non-Impact'," sheets 1 through 3 of 3, dated May 24, 2010, revision 2 dated March 21, 2013, signed and sealed by Lyndon F. Schmidt, P.E on January 22, 2014. The stated drawings will be referred to as the approved drawings in this evaluation report.

**Model 0602:** Drawing No. TX-4099, titled "Model 0602 Horizontal Slider 'Non-Impact'," sheets 1 through 3 of 3, dated May 24, 2010, revision 2 dated March 21, 2013, signed and sealed by Lyndon F. Schmidt, P.E on January 22, 2014. The stated drawings will be referred to as the approved drawings in this evaluation report.

**Installation:** The windows shall be installed as specified on Sheets 1 of 3 through 3 of 3 of the approved drawings.

**Note:** The manufacturer's installation instructions shall be available on the job site during installation. All fasteners shall be corrosion resistant as specified in the International Residential Code (IRC), the International Building Code (IBC), and the Texas Revisions.